PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISH	HED I	NDER THE PATENT COOPERATIO	N TREATY (PCT)
		(11) International Publication Number:	WO 94/14941
(51) International Patent Classification ⁵ :	A1		7 1 1004 (07 07 04)
C11D 3/386, 1/72, 1/722, 17/08	***	(43) International Publication Date:	7 July 1994 (07.07.94)
(21) International Application Number: PCT/SE (22) International Filing Date: 8 December 1993 (CH, DE, DR, ES, FR, GB, GR,	European patent (AT, BE, IE, IT, LU, MC, NL, PT,
(30) Priority Data: 9203818-1 18 December 1992 (18.12.9	92)	Published With international search report	
(71) Applicant (for all designated States except US): NOBEL AB [SE/SE]; S-444 85 Stenungsund (SE	BER E).	DL	
(72) Inventors; and (75) Inventors/Applicants (for US only): BERTILS [SE/SE]; Stormgatan 6, S-553 12 Jönköping (SEL, Eva [SE/SE]; Illerstigen 2, S-440 74 Hjälte	<i>32/</i> .	· ·	
(74) Agent: ANDERSSON, Rolf; Berol Nobel AB, Stenungsund (SE).	S-444	85	
1			
(54) Title: DISHWASHER DETERGENT AND USE	THERE	OF	
A liquid, aqueous dishwasher detergent has a planylase, protease and lipase, or a mixture thereof; and according to the Ross-Miles ASTM D 1173-53. In one soluble capsule.	I value a non-i embod	of 6-9, preferably 6-8, and contains: an enconic surfactant having an instant foaming abiliment, the dishwasher detergent is enclosed in	tyme belonging to the groundity below 120 mm, measure a water-dispersible or water
		•	
ì			

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MIR	Mauritania
ΑU	Australia	GE	Georgia	MW	Malawi
BB ·	Barbados ·	GN ⁻	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hunggry	NO	Norway
BG	Bulgaria	Œ	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgystan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic	SD	
CG	Congo		of Korea	SE	Sudan Smind
СН	Switzerland	KR	Republic of Korea	SE SI	Sweden
CI	Côte d'Ivoire	KZ	Kazakhstan	SK	Slovenia
CM	Cameroon	L	Liechtenstein		Slovakia
CN	China	LK	Sri Lanka	SN	Senegal
cs	Czechoslovakia	LU		TD	Chad
CZ	Czech Republic	LV	Luxembourg	TG	Togo
DE	Germany		Latvia	ŢĴ	Tajikistan
DK	Denmark	MC	Monaco	TT	Trinidad and Tobago
ES		MD	Republic of Moldova	UA	Ukraine
	Spain	MG	Madagascar	US	United States of America
FI	Finland	ML	Mali	UZ	Uzbekistan
FR	France	MIN	Mongolia	VN	Viet Nam
GA	Gabon				

DISHWASHER DETERGENT AND USE THEREOF

This invention relates to a dishwasher detergent having a pH value of 6-9 and preferably being enclosed in a 5 water-soluble or water-dispersible capsule. The inventive detergent has been found to have excellent properties when used as a dishwasher detergent, despite it being neutral or only weakly alkaline.

To prevent excessive foaming, dishwasher detergents 10 have to be low-foaming and therefore only contain small amounts of surfactants. In order to achieve a sufficient cleaning power, it has therefore been necessary to incorporate, in the dishwasher detergents, large amounts of alkaline agents, such as sodium silicates, sodium carbo-15 nates, sodium tetraborates and sodium hydroxide, or mixtures thereof, as well as bleaching chemicals, such as chlorine isocyanurates. The ready-to-use solutions of the dishwasher detergents therefore become strongly alkaline, usually having a pH value above 9, preferably above 11. 20 When diluted, these detergents have a skin-irritant effect and are even corrosive in many cases. Further, high alkalinity results in corrosion of the dishes. It is therefore desirable to reduce the alkalinity of the dishwasher detergent while at the same time maintaining its cleaning power.

It has now been found possible to formulate a dishwasher detergent that does not contain any alkaline agents, or but small amounts thereof, and has excellent cleaning power. The inventive dishwasher detergent is 30 liquid and aqueous, has, when in concentrated form, a pH value of 6-9, preferably 6-8, and contains

- an enzyme belonging to the group amylase, protease and lipase, or a mixture thereof, and
- a non-ionic surfactant having an instant foaming b) ability of less than 120 mm, measured according to 35 Ross-Miles ASTM D 1173-53.

By "surfactant" is meant a compound that, in a content of 0.1% by weight in water at 25°C, reduces the surface tension of the water to below 50 mN/m according to du Noüy. Preferably, the non-ionic surfactant gives a 5 surface tension below 30 mN/m. The inventive dishwasher detergent is suitably free from anionic and cationic surfactants.

In a special embodiment, the liquid dishwasher detergent according to the invention is enclosed in a water-10 soluble or water-dispersible capsule. In this embodiment, the dishwasher detergent has a free water content of 2-18% by weight, preferably 3-15% by weight. Chemically-bonded water, such as hydrate water, is not included in the water contents indicated above. The presence of such a limited 15 amount of water makes it possible to stabilise the enzymes sufficiently to enable encapsulation, as well as to prevent the detergent from dissolving or dispersing the capsule when stored. It has further been found that the enzymatic activity in the encapsulated dishwasher detergent is maintained at a high level also during storage for long periods of time. The encapsulation prevents direct contact with the detergent and makes it easy to avoid overdosage.

It is previously known to enclose detergent compositions in microcapsules or larger capsules consisting of a 25 water-soluble or water-dispersible casing of e.g. gelatin in order to protect and stabilise the components of the detergent and/or to facilitate dosage. Thus, DE 25 32 556 teaches how to enclose a water-free paste-like stain remover containing dispersed SiO₂ particles. EP 261 754 30 teaches a soft elastic gelatin capsule enclosing a bubble bath composition that contains an amine salt of a longchain alkyl ether sulphate, polyethylene glycol and glycerol. EP 339 307 discloses a washing detergent consisting of an encapsulated liquid detergent composition that con-35 tains a water-free organic solvent and a solid material dispersed in the water-free organic solvent. The dispersed material is a complexing agent, such as zeolite or sodium

tripolyphosphate. However, none of the above specifications discloses a dishwasher detergent in accordance with the present invention. Neither does it appear from these specifications how to formulate a dishwasher detergent 5 without using high contents of alkaline agents.

The enzymes to be included in the dishwasher detergent according to the invention are chosen according to the composition of the dirt to be removed. This means that if the dirt consists of protein, the enzyme component can 10 basically consist of one protease only, whereas if the dirt is composed of several different types, such as fat, protein and polysaccharides, use is conveniently made of an enzyme mixture where the enzyme components are especially selected in view of the degradation of these substances. The enzymes are added in amounts providing effective cleaning, which generally means that the enzyme component makes up 4-25% by weight of the detergent, excluding free water. Examples of suitable enzymes are endoproteases, e.g. of serine type, which inter alia degrade egg 20 residues. As amylase, one may choose an α -amylase which hydrolyses 1,4-alpha-glycoside bonds to amylose and amylopectin and which therefore degrades gelatinised starch into water-soluble dextrins and oligosaccharides. Amylases are especially suitable for removing stains of pasta, chocolate and other types of starch. Lipases hydrolyse triglycerides in mono- and diglycerides, glycerol and fatty acids and are added to remove, inter alia, frying fat, oil, salad dressing and butter. Specific examples of enzymes are Alkalase 2.5 L, Type DX; Durazym 16.0 L, Type DX; Esperase 8 L, Type A; Savinase 8.0 L, Type A; Savinase 30 16.0 L, Type DX; Savinase 16.0 L, Type EX; Termamyl 300 L, Type DX; and Lipolase 100 L, Type EX; all sold by Novo Nordisk A/S, Denmark.

The non-ionic surfactant forming part of the dish-35 washer detergent has an instant foaming ability below 120 mm, measured according to Ross-Miles ASTM D 1173-53. Conveniently, one chooses a non-ionic surfactant having

an instant foaming ability of 20-120 mm, in which case an antifoaming agent should be added in order to reduce the foaming of the liquid dishwasher detergent. If the dishwasher detergent does not contain any antifoaming 5 agent, a surfactant having an instant foaming ability below 20 mm is preferably used. Convenient low-foaming surfactants include hydroxyl compounds, such as alcohols that have been ethoxylated or alkoxylated with an alkylene oxide having 3-4 carbon atoms and ethylene oxide. Prefer-10 ably, the alkoxylates have a turbidity point below the use temperature of the detergent, most preferably 20-30° below this temperature. When preparing the alkoxylates, use is conveniently made of alcohols having 6-14 carbon atoms, preferably 8-11 carbon atoms. The number of ethy-15 leneoxy groups suitably is 3-8, and the number of alkyleneoxy groups having 3-4 carbon atoms normally is 0-3 per hydrophobic group. In a preferred embodiment, the alcohol is first ethoxylated and then alkoxylated with an alkylene oxide having 3-4 carbon atoms. Such compounds can be illustrated by the formula $RO(C_2H_4O)_x(B)_vH$, wherein R is a hydrocarbon group having 6-14 carbon atoms, preferably 6-11 carbon atoms, B is an alkyleneoxy group having 3-4 carbon atoms, x is 2-8, and y is 1-3. Preferably, the hydrocarbon group R is an aliphatic group, such as an 25 alkyl group. Other non-ionic compounds that may be used in accordance with the invention are alkyl glycosides having a degree of polymerisation of 1-4, preferably 1-2, and alkyl glucamides, such as alkyl-N-methyl glucamide. The alkyl group usually contains 6-14 carbon atoms, preferably 30 6-11 carbon atoms. Other suitable non-ionic surfactants are block polymers of ethylene oxide and alkylene oxide having 3-4 carbon atoms. Examples of suitable alkyl groups of the non-ionic surfactants in accordance with the invention are 2-ethyl hexyl, octyl, n-decyl, dodecyl and 35 straight or branched C_9-C_{11} alkyl groups. The low-foaming non-ionic surfactants according to the invention make up

5-95% by weight of the dishwasher detergent, preferably 15-75% by weight, excluding free water.

Preferably, the water-soluble or water-dispersible casing consists of a conventional soft and elastic capsule, usually having a volume of 1-10 ml, preferably a volume of 2-5 ml. The capsule shell may be based on gelatin, polyvinyl alcohol, polyethylene glycol, cellulose ethers, alginic acid or pectinic acid, and may further contain additives adjusting its elasticity and water solubility. Preferably, the capsule shell consists of a conventional composition containing gelatin, water and a plasticiser, such as glycol, glycerol or sorbitol. The detergent may be encapsulated by conventional methods, e.g. by using conventional apparatus with rotating drums.

The inventive dishwasher detergent may also contain e.g. antifoaming agents, solubilisers, stabilisers and scents. The antifoaming agents are preferably polar and water-soluble or water-dispersible, and usually serve to reduce the foaming caused by the non-ionic surfactant.

In addition to their antifoaming effect, the antifoaming agents have a certain cleaning and/or solubilising capacity. The amount of the antifoaming agents is 0-60% by weight of the dishwasher detergent, preferably 5-40% by weight, excluding free water. Examples of suitable

antifoaming agents are C₁₋₄ alkyl esters of carboxylic acids having 8-16 carbon atoms, such as methyl laurate and ethyl laurate; tri-C₆₋₁₄ alkyl phosphate, such as trioctyl phosphate, tridecyl phosphate and trilauryl phosphate; and alcohols having 6-12 carbon atoms. The solubilisers, which usually make up 0-30% by weight of the detergent, preferably 2-25% by weight, excluding free water, may be diols having 2-8 carbon atoms, such as 1,2-propanediol, 1,2-

having 2-8 carbon atoms, such as 1,2-propanediol, 1,2-butanediol, 2,3-butanediol; glycerol; polyglycols, such as dipropylene glycol and tripropanediol; or ether gly-

35 cols, such as butyldiethylene glycol.

The invention will now be further illustrated by the following Examples.

Examples 1-4

- 5 A dishwasher detergent was formulated by adding an enzyme mixture consisting of
 - 5 parts by weight of Alkalase 2.0 L, Type DX
 - 5 parts by weight of Savinase 8.0 L, Type A
 - 5 parts by weight of Lipolase 100 L, Type EX
- 10 10 parts by weight of Termamyl 300 L, Type DX to a detergent solution consisting of
 - 62 parts by weight of Ethoxilate, C₁₁ alcohol (Dubanol 1) + 5 EO; Foaming 70 mm (instant) Ross-Miles; Surface tension 29 mN/m
- 15 44 parts by weight of Methyl laurate
 - 19 parts by weight of Butyldiethylene glycol.

The enzyme mixture contained about 50% by weight of free water, and the liquid dishwasher detergent thus came to contain about 8% by weight of free water.

- Test plates with depressions containing peroxidaselabelled protein were washed according to the Eliza method, while lacquered metal sheets smeared with radioactively-labelled fat were washed at about 55-60°C in a Terg-O-Tometer machine. The detergent solution used in the two tests had been obtained by dissolving a gelatin capsule containing 5 ml, 3 ml or 2 ml of the liquid dishwasher detergent, or 3 ml of the liquid dishwasher detergent, in 6 l of water. In the Terg-O-Tometer machine, 1 l of the detergent solution was used. After washing, the remaining amounts of protein and fat were measured by the
- Eliza method and by measurement of the radioactivity, respectively. The following results were obtained.

	Example	Detergent	Dirt removed		
		ml	Fat, %	Protein, %	
5					
	1	5	78	97	
	2	2	78	98	
	3	3	84	96	
	4	. 3	90	95	
10	-	(no gelatin		,	
		capsule)		·	

It is evident from the results that both the fat and the protein were efficiently removed.

Examples 5-9

A dishwasher detergent was formulated by adding an enzyme mixture consisting of

5 parts by weight of Alkalase 2.5 L, Type DX

5 parts by weight of Savinase 8.0 L, Type A

10 parts by weight of Termamyl 300 L, Type DX to a detergent solution made up of the following components:

25

15

20

30

Example	Parts by weight	Component
5	50 35 15	C ₁₁ alcohol (Dubanol 11) + 5 EO Ross-Miles 70 mm; Surface tension 29 mN/m Methyl laurate Butyldiethylene glycol
6	60	Octyl glycoside Ross-Miles 65 mm; Surface tension 35 mN/m Polyethylene glycol
7	66 17 7 10	Coco fatty alcohol + 7 EO + 1 PO Ross-Miles 90 mm; Surface tension 31.5 mN/m Methyl laurate Butyldiethylene glycol Water
8	100	C ₉₋₁₁ alcohol + 4 EO Ross-Miles 20 mm; Surface tension 31 mN/m
9	100	Block polymer (Propylene glycol MV 1200 + 5 EO) Ross-Miles 5 mm; Surface tension 41 mN/m
A	55 4 5	Potassium decyl phosphate ester Water
В	100	The sodium salt of tall fatty acid

Test plates with depressions containing peroxidase-labelled protein were washed as in Examples 1-4. The dishwasher detergent solution was obtained by dissolving a gelatin capsule containing 3 ml of any of the above dishwasher detergent formulations in 6 l of water. After washing, the remaining protein was measured by the Eliza method. The following results were obtained.

	Example	Washed-away protein in %
_	5	99
5	6	97
	7	98
10	8	96
	9	96
	A	1
15	В	82
15		

It is evident from the results that the inventive dishwasher detergents, i.e. Examples 5-9, are superior to the detergents of comparative Examples A and B.

20 Example 10

The dishwasher detergent according to Example 3 was compared with five commercial detergents, all containing considerable amounts of alkali. The commercial detergents were added in an amount of 5 g per 1 l of water. It was proceeded as in Examples 1-4. The following results were obtained:

30

Detergent	Alkalinity	Form	Washed-away	
			Protein, %	Fat, %
Example 3	about 7	Capsule	. 94	86
Comparison C	about 12.5	Powder	83	95
Comparison D	about 12	Powder	87	73
Comparison E	about 12	Powder	82	72
Comparison F	about 12	Powder	82	74…
Comparison G	about 11	Liquid	81	44

It is evident from the results that the inventive detergent had at least the same cleaning effect as commercial products C-G, in spite of the low dosage. It was especially efficient in washing away protein.

CLAIMS

- A liquid, aqueous dishwasher detergent, char-5 a c t e r i s e d in that it has, when in concentrated form, a pH value of 6-9 and contains'
 - a) an enzyme belonging to the group amylase, protease and lipase, or a mixture thereof, and
- b) a non-ionic surfactant having an instant foaming 10 ability of less than 120 mm, measured according to Ross-Miles ASTM D 1173-53.
- A dishwasher detergent as claimed in claim 1, 2. characterised in that it contains a non-ionic 15 surfactant having a foaming ability of 20-120 mm, as well as an antifoaming agent.
- A dishwasher detergent as claimed in claim 1, characterised in that it contains a non-ionic 20 surfactant having a foaming ability of less than 20 mm.
 - A dishwasher detergent as claimed in any one of 4. claims 1-3, characterised in that the nonionic surfactant is an alkoxylate in which an alcohol
- 25 having 6-14 carbon atoms, preferably 8-11 carbon atoms, has been ethoxylated or alkoxylated with an alkylene oxide having 3-4 carbon atoms and ethylene oxide.
- A dishwasher detergent as claimed in any one of 5. 30 claims 1-4, characterised in that it contains a solubiliser.
- A dishwasher detergent as claimed in any one of claims 1-5, characterised in that the enzyme 35 component containing protease, amylase and/or lipase makes up 4-25% by weight of the detergent, excluding free water,

WO 94/14941 PCT/SE93/01059

12

the non-ionic surfactant makes up 5-95% by weight of the detergent, excluding free water, the antifoaming agent makes up 0-60% by weight of the detergent, excluding free water, and the solubiliser makes up 0-30% by weight, excluding free water.

- A dishwasher detergent as claimed in any one of claims 1-6, c h a r a c t e r i s e d in that it contains 2-18% by weight, preferably 3-15% by weight, of free water, chemically-bonded water being not included.
 - 8. A dishwasher detergent as claimed in any one of claims 1-7, character is ed in that it is enclosed in a water-soluble or water-dispersible capsule.

9. A dishwasher detergent as claimed in claim 8, c h a r a c t e r i s e d in that the encapsulated amount is 1-10 ml.

20 10. A dishwasher detergent as claimed in claim 8 or 9, c h a r a c t e r i s e d in that the capsule shell consists of a gelatin composition containing glycol, glycerol and/or sorbitol as plasticiser.

25

15

30

International application No.

PCT/SE 93/01059

A. CLASSIFICATION OF SUBJECT MATTER

IPC5: C11D 3/386, C11D 1/72, C11D 1/722, C11D 17/08
According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC5: C11D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE,DK,FI,NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

	_	Ŧ
ш	•	ı
	г.	1

- J	MENTS CONSIDERED TO BE RELEVANT	D. L. L. Liller Nie
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Х	DE, A1, 2727463 (THE PROCTER & GAMBLE CO.), 5 January 1978 (05.01.78), page 10, line 29 - page 11, line 2, page 17, line 12 - page 19, line 1-27, claims 1,4,15	1-7
		
X	US, A, 4162987 (MAGUIRE, JR. ET AL.), 31 July 1979 (31.07.79), column 6, line 56, claims 1-2	1-10
		
P,A	EP, A2, 0554943 (UNILEVER N.V.), 11 August 1993 (11.08.93)	1-10
		

•	Special categories of cited documents:	Т"	later document published after the international filing date or priority date and not in conflict with the application but cited to understand
A	document defining the general state of the art which is not considered to be of particular relevance		the principle or theory underlying the invention
~e-	ertier document but published on or after the international filing date	*X*	document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive
L	document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other		step when the document is taken alone
	special reason (as specified)	"Y"	document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is
. 0.	document referring to an oral disclosure, use, exhibition or other means		combined with one or more other such documents, such combination
~ P~	document published prior to the international filing date but later than		being obvious to a person skilled in the art
	the priority date claimed		document member of the same patent family
Date	e of the actual completion of the international search	Date	of mailing of the international search report
			2 9 -03- 19 9 4
28	March 1994		Z 3 00 100 t
Nan	ne and mailing address of the ISA/	Autho	orized officer
Swe	edish Patent Office		
Box	c 5055, S-102 42 STOCKHOLM	Dagn	nar Järvman
	simile No. +46 8 666 02 86	Telep	hone No. +46 8 782 25 00

X See patent family annex.

Form PCT/ISA/210 (second sheet) (July 1992)

Further documents are listed in the continuation of Box C.

INTERNATIONAL SEARCH REPORT

International application No.
PCT/SE 93/01059

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.	
P,A	DE, A1, 4205071 (HENKEL KGAA), 26 August 1993 (26.08.93)	1-10	
	•		
	·		
•			

INTERNATIONAL SEARCH REPORT

Information on patent family members

26/02/94

International application No.
PCT/SE 93/01059

Patent document cited in search report		Publication date	Patent family member(s)		Publication date	
DE-A1-	2727463	05/01/78	BE-A- FR-A,B- GB-A- NL-A- US-A-	856068 2355908 1576946 7706942 4162987	27/12/77 20/01/78 15/10/80 28/12/77 31/07/79	
US-A-	4162987	31/07/79	BE-A- DE-A- FR-A,B- GB-A- NL-A-	856068 2727463 2355908 1576946 7706942	27/12/77 05/01/78 20/01/78 15/10/80 28/12/77	
EP-A2-	0554943	11/08/93	CA-A-	2088230	04/08/93	
DE-A1-	4205071	26/08/93	WO-A-	9317089	02/09/93	

Form PCT/ISA/210 (patent family annex) (July 1992)

THIS PAGE BLANK (USPTO)